

COMMUNICATIONS SYMBOLS

WALL MOUNTED	CEILING MOUNTED		WALL MOUNTED	CEILING MOUNTED		
		SPEAKER			MOTION DETECTOR – 9 FEET AFF WHEN CEILING GREATER THAN 9 FEET–6 INCHES – 6 INCHES BELOW CEILING WHEN CEILING LESS THAN 9 FEET–6 INCHES	
		PAGING SPEAKER			CLOSED CIRCUIT TELEVISION CAMERA	
		CLASSROOM INTERCOM SPEAKER/MICROPHONE			DIGITAL VIDEO SURVEILLANCE	
		INTERCOM, WALL MOUNTED			CONCENTRATOR REMOTE ENCLOSURE FOR SECURITY	
		ADMINISTRATIVE INTERCOM MASTER STATION			OUTLET FOR FUTURE CCTV MONITORS	
		CLASSROOM CONCENTRATOR ENCLOSURE			ACCESS CONTROL – MASTER STATION DESK MOUNTED	
		LAB CONCENTRATOR ENCLOSURE			ACCESS CONTROL – DOOR STATION	
		SHARED CONCENTRATOR BOX			INTRUSION DETECTION PANEL	
		THREE CLASSROOM CONCENTRATOR ENCLOSURE			DVS IP CAMERA (PTZ = PAN TILT ZOOM)	
		FOUR CLASSROOM CONCENTRATOR ENCLOSURE (QUAD)			CARD READER	
		ADMINISTRATIVE CONCENTRATOR ENCLOSURE			ELECTRIC STRIKE	
		CABLE TELEVISION, CATV – 9 FEET AFF WHEN CEILING GREATER THAN 9 FEET–6 INCHES – 6 INCHES BELOW CEILING WHEN CEILING LESS THAN 9 FEET–6 INCHES			DOOR CONTACT	
		DATA OUTLET FOR KRONOS TERMINAL			INTRUSION DETECTION SYSTEM KEYPAD	
		PUSH PLATE FOR ADA DOOR OPERATOR	WALL MOUNTED	FLOOR BOX	POKE–THROUGH	
		VANDAL RESISTANT WEATHER PROOF PUSH–BUTTON FOR INTERCOM				
		ROLLER SHADE LOGIC CONTROLLER				
		MICROPHONE JACK				
		VOLUME CONTROL				
		INTERCOM CONTROL CABINET				
		BUZZER				
		TRANSFORMER				
WALL MOUNTED	FLOOR BOX	POKE–THROUGH	CEILING MOUNTED	SUBSCRIPT INDICATES THE FOLLOWING FOR WALL MOUNTED OUTLETS, (U.N.O.): "H" HANDICAP, REFER TO DRAWINGS FOR MOUNTING HEIGHT "W" WALL MOUNTED AT 54 INCHES A.F.F. "M" AUTOMATIC METER READER OUTLET "AS" ATTENDANCE SWIPE "K" FOR KRONOS "BAS" FOR BUILDING AUTOMATION SYSTEM		
				TELEPHONE OUTLET		
				DATA SYSTEMS OUTLET		
				HDMI/USB SYSTEMS OUTLET		
				JUNCTION BOX WITH FLEXIBLE CONDUIT AND FINAL EQUIPMENT OR FURNITURE SYSTEM CONNECTION. SUBSCRIPT INDICATES THE FOLLOWING: "D" DATA AND TELEPHONE SYSTEMS		

		CHICAGO PUBLIC SCHOOLS			SHEET NO.
		CAPITAL IMPROVEMENT PROGRAM			
		OFFICE SAFETY AND SECURITY			ED.001
		INFRASTRUCTURE STANDARDS			
		COMMUNICATIONS SYMBOLS			
DESIGNED CPS DRAWN CPS CHECKED CPS APPROVED	PROJECT NUMBER XXXX	SCALE NONE	DATE 05/09/24		

NO.	DATE	REVISION	BY